

ORDINANCE NO. 2012-10

AN ORDINANCE OF THE BOARD OF COUNTY COMMISSIONERS OF SUMTER COUNTY, FLORIDA, AMENDING ORDINANCE 04-38, TO AMEND THE BOUNDARY OF THE VILLAGE COMMUNITY DEVELOPMENT DISTRICT NO. 10; PROVIDING FOR SEVERABILITY; AND PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, the Board of County Commissioners of Sumter County established the Village Community Development District No. 10 by Ordinance 04-38 adopted on September 28, 2004, pursuant to the powers set forth in Chapter 190, Florida Statutes; and

WHEREAS, in the process of going forward with development activities it has come to the attention of the developer that additional changes are necessary in the boundary to add and delete certain lands.

NOW THEREFORE, BE IT ORDAINED by the Board of County Commissioners of Sumter County, Florida as follows:

Section 1. Sumter County Ordinance 04-38 is hereby amended so that the external boundary of the Village Community Development District No. 10 shall be as per Exhibit "A" attached hereto.

Section 2. That all ordinances or parts of ordinances in conflict herewith are hereby repealed to the extent of such conflict.

Section 3. That if any section, sentence, clause, or phrase of this ordinance is held to be invalid or unconstitutional by a court of competent jurisdiction, then said holding shall in no way affect the validity of the remaining portions of this ordinance.

Section 4. That this ordinance shall become effective immediately in accordance with law.

PASSED AND ADOPTED at a duly called session of the Sumter County Board of County Commissioners, this 14th day of August, 2012.

ATTEST:



GLOUCEA R. HAYWARD
SUMTER COUNTY CLERK

DEPUTY CLERK

SUMTER COUNTY BOARD OF COUNTY
COMMISSIONERS, SUMTER COUNTY, FLORIDA

By: [Signature]
GARRY BREEDEN, CHAIRMAN

APPROVED AS TO FORM FOR
THE RELIANCE OF SUMTER
COUNTY ONLY:

[Signature]
COUNTY ATTORNEY




EXHIBIT A

DESCRIPTION OF THE AMENDED
VILLAGE COMMUNITY DEVELOPMENT DISTRICT NO. 10
APPROXIMATELY 1489.5 ACRES

THAT LAND LYING IN SECTIONS 13 AND 14, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE NORTHWEST CORNER OF THE NORTHWEST 1/4 OF SAID SECTION 13 RUN N89°59'36"E, ALONG THE NORTH LINE THEREOF A DISTANCE OF 685.41 FEET; THENCE DEPARTING SAID NORTH LINE, S00°00'24"E, 276.62 FEET TO THE POINT OF BEGINNING; THENCE S71°38'52"E, 117.18 FEET; THENCE N85°41'58"E, 263.57 FEET; THENCE S71°55'17"E, 231.83 FEET; THENCE S84°56'19"E, 207.88 FEET; THENCE S42°14'37"E, 118.03 FEET; THENCE S68°48'09"E, 45.00 FEET TO A POINT ON THE ARC OF A CURVE CONCAVE EASTERLY, HAVING A RADIUS OF 1,180.00 FEET AND A CHORD BEARING AND DISTANCE OF S02°01'26"E, 930.52 FEET; THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 46°26'35", A DISTANCE OF 956.49 FEET TO THE POINT OF TANGENCY; THENCE S25°14'44"E, 293.76 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE WESTERLY AND HAVING A RADIUS OF 965.00 FEET; THENCE SOUTHERLY ALONG THE ARC THEREOF THROUGH A CENTRAL ANGLE OF 58°25'01", A DISTANCE OF 983.88 FEET TO THE POINT OF TANGENCY; THENCE S33°10'17"W, 269.17 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 75.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 43°19'37", AN ARC DISTANCE OF 56.71 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 120.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 100°54'55", AN ARC DISTANCE OF 211.36 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE WESTERLY AND HAVING A RADIUS OF 75.00 FEET; THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 42°09'09", AN ARC DISTANCE OF 55.18 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE EASTERLY AND HAVING A RADIUS OF 960.00 FEET; THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 15°28'35", AN ARC DISTANCE OF 259.31 FEET TO THE POINT OF TANGENCY; THENCE S02°15'33"W, 113.63 FEET; THENCE N87°44'27"W, 15.00 FEET; THENCE S35°44'11"W, 95.78 FEET; THENCE S39°43'04"W, 145.59 FEET; THENCE S60°16'41"W, 135.39 FEET; THENCE S63°44'54"W, 96.43 FEET; THENCE N17°16'18"W, 140.17 FEET; THENCE N33°53'06"W, 83.89 FEET; THENCE N60°55'56"W, 71.15 FEET; THENCE N48°37'44"W, 109.81 FEET; THENCE

N12°51'35"W, 47.24 FEET; THENCE N34°12'57"W, 109.78 FEET; THENCE N75°34'43"W, 74.67 FEET; THENCE S76°25'06"W, 103.42 FEET; THENCE S72°44'39"W, 112.98 FEET; THENCE S74°28'14"W, 79.24 FEET; THENCE S48°27'13"W, 102.14 FEET; THENCE S06°09'29"W, 215.22 FEET; THENCE S44°04'15"W, 47.45 FEET; THENCE S81°00'37"W, 294.88 FEET; THENCE S69°32'37"W, 157.90 FEET; THENCE N71°51'34"W, 90.25 FEET; THENCE N49°44'55"W, 103.23 FEET; THENCE N61°41'15"W, 18.94 FEET; THENCE N15°42'27"W, 120.81 FEET; THENCE N13°34'44"W, 112.11 FEET; THENCE N00°22'32"E, 118.49 FEET; THENCE N00°23'18"E, 122.08 FEET; THENCE N15°27'27"E, 132.06 FEET; THENCE N19°58'42"E, 168.83 FEET; THENCE N09°36'27"E, 550.16 FEET; THENCE N68°35'35"E, 18.77 FEET; THENCE N02°42'14"E, 100.48 FEET; THENCE N05°54'40"W, 60.24 FEET; THENCE N09°16'50"W, 105.66 FEET; THENCE N49°35'48"E, 181.51 FEET; THENCE N32°51'34"E, 52.84 FEET; THENCE S33°21'35"E, 89.12 FEET; THENCE N82°19'48"E, 172.42 FEET; THENCE S86°06'33"E, 68.58 FEET; THENCE S79°54'04"E, 114.12 FEET; THENCE N63°24'32"E, 86.65 FEET; THENCE N06°43'35"W, 105.84 FEET; THENCE N04°00'15"E, 109.06 FEET; THENCE N18°18'20"E, 88.25 FEET; THENCE N29°09'08"E, 71.94 FEET; THENCE N16°14'49"E, 81.21 FEET; THENCE N06°54'52"E, 83.53 FEET; THENCE N06°45'04"E, 239.64 FEET; THENCE N17°35'17"E, 101.72 FEET; THENCE N65°41'57"E, 40.79 FEET; THENCE N56°15'06"E, 72.93 FEET; THENCE N14°26'14"W, 133.21 FEET; THENCE N34°24'40"E, 18.30 FEET; THENCE N87°45'08"E, 99.10 FEET; THENCE N31°16'21"E, 51.69 FEET; THENCE N12°08'35"W, 122.55 FEET; THENCE N00°58'31"W, 500.97 FEET TO THE POINT OF BEGINNING.

AND

THAT LAND LYING IN SECTIONS 13 AND 24, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE NORTHWEST CORNER OF THE NORTHEAST 1/4 OF SAID SECTION 13 RUN S00°32'59"W, ALONG THE WEST LINE THEREOF A DISTANCE OF 2,085.24 FEET; THENCE DEPARTING SAID WEST LINE, S89°27'01"E, 750.37 FEET TO THE POINT OF BEGINNING; THENCE N81°16'37"E, 422.90 FEET; THENCE S20°52'00"E, 295.98 FEET; THENCE S61°19'33"E, 16.72 FEET; THENCE S85°52'26"E, 67.80 FEET; THENCE S89°52'06"E, 67.79 FEET; THENCE N85°55'31"E, 67.79 FEET; THENCE N81°43'08"E, 67.79 FEET; THENCE N77°30'46"E, 67.79 FEET; THENCE N73°05'44"E, 74.58 FEET; THENCE N68°40'42"E, 67.79 FEET; THENCE N66°02'53"E, 124.73 FEET; THENCE N86°10'37"E, 62.08 FEET; THENCE S71°09'15"E, 143.36 FEET; THENCE S23°37'43"E, 433.58 FEET; THENCE S74°54'59"W, 482.83 FEET; THENCE S70°51'40"W, 97.67 FEET; THENCE S61°04'46"W, 116.04 FEET; THENCE S48°46'53"W, 116.92 FEET; THENCE S34°52'02"W, 117.08 FEET; THENCE S17°41'52"W, 88.22 FEET; THENCE S10°50'19"W, 135.92 FEET; THENCE

S08°07'37"W, 143.87 FEET; THENCE S07°49'21"W, 108.77 FEET; THENCE
 S02°07'34"W, 83.01 FEET; THENCE S03°20'47"E, 70.01 FEET; THENCE
 S04°28'36"E, 69.36 FEET; THENCE S08°42'45"E, 66.72 FEET; THENCE S14°55'53"E,
 66.72 FEET; THENCE S19°24'30"E, 69.18 FEET; THENCE S25°55'06"E, 62.23 FEET;
 THENCE S41°58'56"E, 63.40 FEET; THENCE S47°43'15"E, 106.18 FEET; THENCE
 S26°39'58"E, 64.83 FEET; THENCE S02°42'16"E, 70.21 FEET; THENCE
 S33°44'46"W, 104.79 FEET; THENCE S25°09'08"W, 70.02 FEET; THENCE
 S22°41'20"W, 70.02 FEET; THENCE S16°28'55"W, 62.19 FEET; THENCE
 S13°35'03"W, 70.20 FEET; THENCE S04°57'10"W, 137.18 FEET; THENCE
 S03°29'25"W, 75.05 FEET; THENCE S20°37'12"W, 92.16 FEET; THENCE
 S21°29'51"W, 124.32 FEET; THENCE S55°27'31"W, 140.75 FEET; THENCE
 S50°27'01"W, 64.17 FEET; THENCE S38°06'33"W, 75.60 FEET; THENCE
 S25°30'44"W, 65.53 FEET; THENCE S11°06'48"W, 67.07 FEET; THENCE
 S05°41'37"W, 71.90 FEET; THENCE S00°42'21"W, 1,765.51 FEET; THENCE
 N80°37'37"W, 831.28 FEET; THENCE N35°44'42"W, 76.51 FEET; THENCE
 N24°29'04"W, 67.35 FEET; THENCE N17°40'47"W, 66.54 FEET; THENCE
 N39°22'09"W, 94.71 FEET; THENCE N32°02'25"W, 90.58 FEET; THENCE
 N46°53'15"W, 63.31 FEET; THENCE N51°18'25"W, 151.90 FEET; THENCE
 N73°12'43"W, 150.49 FEET; THENCE S68°12'31"W, 75.77 FEET; THENCE
 N48°19'40"W, 161.12 FEET; THENCE N69°26'54"W, 66.17 FEET; THENCE
 N74°35'00"W, 66.25 FEET; THENCE N77°54'53"W, 66.39 FEET; THENCE
 N78°50'50"W, 69.56 FEET; THENCE N83°35'26"W, 140.70 FEET; THENCE
 N81°31'48"W, 73.08 FEET; THENCE N81°21'22"W, 391.38 FEET; THENCE
 N72°42'18"W, 104.48 FEET; THENCE N40°19'51"E, 222.65 FEET TO A POINT ON
 THE ARC OF A NON-TANGENT CURVE CONCAVE EASTERLY, HAVING A
 RADIUS OF 114.00 FEET AND A CHORD BEARING AND DISTANCE OF
 N03°00'28"E, 35.71 FEET; THENCE NORTHERLY ALONG THE ARC OF SAID
 CURVE, THROUGH A CENTRAL ANGLE OF 18°01'21", AN ARC DISTANCE OF
 35.86 FEET TO THE POINT OF TANGENCY; THENCE N12°01'08"E, 109.71 FEET;
 THENCE N77°58'52"W, 120.00 FEET; THENCE N11°07'17"E, 134.84 FEET;
 THENCE N00°02'24"W, 121.56 FEET; THENCE N06°32'41"E, 107.52 FEET;
 THENCE N18°02'41"E, 82.99 FEET; THENCE N21°15'01"E, 130.19 FEET; THENCE
 N57°21'32"W, 273.76 FEET; THENCE N78°39'03"W, 162.67 FEET; THENCE
 N34°46'52"W, 111.20 FEET; THENCE N37°11'13"E, 72.71 FEET; THENCE
 N14°31'46"W, 57.85 FEET; THENCE N26°35'17"W, 67.08 FEET; THENCE
 N10°14'17"E, 88.35 FEET; THENCE N08°30'15"W, 85.70 FEET; THENCE
 N45°23'38"E, 85.51 FEET; THENCE N29°31'47"W, 30.19 FEET TO THE POINT OF
 CURVATURE OF A CURVE CONCAVE SOUTHERLY AND HAVING A RADIUS
 OF 35.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE
 THROUGH A CENTRAL ANGLE OF 87°28'12", AN ARC DISTANCE OF 53.43
 FEET TO A POINT OF CUSP OF A CURVE CONCAVE NORTHWESTERLY,
 HAVING A RADIUS OF 1,060.00 FEET AND A CHORD BEARING AND
 DISTANCE OF N32°37'47"E, 1,071.85 FEET; THENCE NORTHEASTERLY ALONG
 THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 60°44'28", AN
 ARC DISTANCE OF 1,123.74 FEET TO THE POINT OF TANGENCY; THENCE

N02°15'33"E, 309.25 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE EASTERLY AND HAVING A RADIUS OF 840.00 FEET; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 14°06'33", AN ARC DISTANCE OF 206.85 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 75.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 51°14'55", AN ARC DISTANCE OF 67.08 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 120.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 08°08'52", AN ARC DISTANCE OF 17.06 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE SOUTHERLY AND HAVING A RADIUS OF 75.00 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 52°16'59", AN ARC DISTANCE OF 68.44 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 904.90 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 17°13'09", AN ARC DISTANCE OF 271.95 FEET TO THE POINT OF TANGENCY; THENCE S53°12'08"E, 79.42 FEET TO A POINT ON THE ARC OF A NON-TANGENT CURVE CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 270.00 FEET AND A CHORD BEARING AND DISTANCE OF S55°20'39"E, 18.65 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 03°57'27", AN ARC DISTANCE OF 18.65 FEET TO A NON-TANGENT LINE; THENCE N32°46'33"E, 70.26 FEET; THENCE N23°32'59"E, 373.81 FEET; THENCE N23°55'34"E, 108.75 FEET; THENCE N60°15'21"E, 338.01 FEET; THENCE S88°21'24"E, 225.12 FEET; THENCE S86°20'12"E, 154.62 FEET; THENCE N44°09'39"E, 283.40 FEET; THENCE N41°21'17"E, 455.96 FEET TO THE POINT OF BEGINNING.

LESS

THAT LAND LYING IN SECTION 13, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE NORTHWEST CORNER OF THE NORTHEAST 1/4 OF SAID SECTION 13 RUN S00°32'59"W, ALONG THE WEST LINE THEREOF A DISTANCE OF 3,848.21 FEET; THENCE DEPARTING SAID WEST LINE, S89°27'01"E, 133.51 FEET TO THE POINT OF BEGINNING; THENCE N55°28'46"E, 133.48 FEET; THENCE N59°56'30"E, 85.74 FEET; THENCE S89°28'42"E, 71.54 FEET; THENCE S80°59'11"E, 110.88 FEET; THENCE N89°10'58"E, 74.03 FEET; THENCE N82°45'00"E, 187.42 FEET; THENCE N86°41'57"E, 70.04 FEET; THENCE S24°50'07"E, 69.19 FEET; THENCE S06°59'32"E, 60.64 FEET; THENCE S07°05'36"W, 73.71 FEET; THENCE S07°48'35"W, 70.29 FEET; THENCE S07°20'03"W, 76.22 FEET; THENCE S80°27'40"W, 575.96 FEET; THENCE N19°54'32"W, 211.18 FEET; THENCE N30°08'32"W, 125.97 FEET TO THE POINT

OF BEGINNING.

ALSO LESS

THAT LAND LYING IN SECTIONS 13 AND 24, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE NORTHWEST CORNER OF THE NORTHEAST 1/4 OF SAID SECTION 13 RUN S00°32'59"W, ALONG THE WEST LINE THEREOF A DISTANCE OF 4,887.27 FEET; THENCE DEPARTING SAID WEST LINE, N89°27'01"W, 53.44 FEET TO THE POINT OF BEGINNING; THENCE S17°18'17"E, 45.75 FEET; THENCE S03°59'24"W, 26.83 FEET; THENCE S00°09'19"E, 61.33 FEET; THENCE S04°17'50"E, 52.98 FEET; THENCE S00°07'19"E, 157.28 FEET; THENCE S05°35'11"E, 201.59 FEET; THENCE S48°58'03"W, 32.42 FEET; THENCE S08°52'51"E, 119.45 FEET; THENCE S54°30'43"W, 34.56 FEET; THENCE N53°47'59"W, 318.37 FEET; THENCE N25°27'17"W, 103.65 FEET; THENCE N29°47'43"W, 80.27 FEET; THENCE N49°46'07"W, 171.33 FEET; THENCE N56°16'41"W, 69.53 FEET; THENCE N31°40'04"W, 53.75 FEET; THENCE N42°52'01"W, 120.75 FEET; THENCE N00°56'19"E, 535.79 FEET; THENCE S79°32'13"E, 85.11 FEET; THENCE S51°31'58"E, 91.24 FEET; THENCE S47°20'13"E, 68.71 FEET; THENCE S52°56'00"E, 108.10 FEET; THENCE S29°50'26"E, 85.29 FEET; THENCE S66°28'45"E, 73.32 FEET; THENCE S63°56'25"E, 65.40 FEET; THENCE S50°36'43"E, 67.65 FEET; THENCE S54°21'09"E, 82.74 FEET; THENCE S39°05'30"E, 79.33 FEET TO THE POINT OF BEGINNING.

AND

THAT LAND LYING IN SECTION 12, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE SOUTHWEST CORNER OF THE SOUTHWEST 1/4 OF SAID SECTION 12 RUN N00°36'40"E, ALONG THE WEST LINE THEREOF A DISTANCE OF 745.05 FEET; THENCE DEPARTING SAID WEST LINE, S89°23'20"E, 568.49 FEET TO THE POINT OF BEGINNING; THENCE N07°44'55"E, 269.20 FEET; THENCE N19°31'55"W, 110.04 FEET; THENCE N53°22'29"W, 117.42 FEET; THENCE N36°50'34"W, 254.12 FEET; THENCE N15°35'13"E, 245.23 FEET; THENCE S75°00'58"E, 131.24 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTH AND HAVING A RADIUS OF 1,230.00 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 14°25'28", AN ARC DISTANCE OF 309.66 FEET TO THE POINT OF TANGENCY; THENCE S89°26'26"E, 716.10 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTH AND HAVING A RADIUS OF 35.00 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 30°47'39", AN ARC DISTANCE OF 18.81 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTH AND HAVING A RADIUS OF 52.00 FEET; THENCE EASTERLY ALONG THE ARC OF

SAID CURVE THROUGH A CENTRAL ANGLE OF 63°35'32", AN ARC DISTANCE OF 57.71 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE SOUTH AND HAVING A RADIUS OF 18.00 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 36°49'33", AN ARC DISTANCE OF 11.57 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE SOUTH AND HAVING A RADIUS OF 871.00 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 04°12'21", AN ARC DISTANCE OF 63.94 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE SOUTHWEST AND HAVING A RADIUS OF 50.00 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 67°37'38", AN ARC DISTANCE OF 59.02 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHEAST AND HAVING A RADIUS OF 131.00 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 19°37'45", AN ARC DISTANCE OF 44.88 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE WEST AND HAVING A RADIUS OF 50.00 FEET; THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 48°40'28", AN ARC DISTANCE OF 42.48 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE EAST AND HAVING A RADIUS OF 1,035.00 FEET; THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 22°24'52", AN ARC DISTANCE OF 404.90 FEET TO THE POINT OF TANGENCY; THENCE S06°56'54"E, 544.34 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE WEST AND HAVING A RADIUS OF 1,545.00 FEET; THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 02°32'48", AN ARC DISTANCE OF 68.67 FEET TO A NON-TANGENT LINE; THENCE S85°35'54"W, 45.00 FEET; THENCE S62°59'18"W, 152.18 FEET; THENCE N71°55'54"W, 267.65 FEET; THENCE N89°22'47"W, 179.79 FEET; THENCE S76°18'52"W, 424.63 FEET; THENCE N29°53'57"W, 208.73 FEET; THENCE N20°11'12"W, 264.68 FEET TO THE POINT OF BEGINNING.

AND

THAT LAND LYING IN SECTIONS 12 AND 13, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE SOUTHWEST CORNER OF THE SOUTHEAST 1/4 OF SAID SECTION 12 RUN N00°35'56"E, ALONG THE WEST LINE THEREOF A DISTANCE OF 476.94 FEET; THENCE DEPARTING SAID WEST LINE, S89°24'04"E, 589.10 FEET TO THE POINT OF BEGINNING; THENCE S58°49'35"W, 292.97 FEET; THENCE S58°48'19"W, 72.14 FEET; THENCE S43°21'10"W, 63.97 FEET; THENCE S17°46'02"W, 62.84 FEET; THENCE S04°21'25"E, 69.62 FEET; THENCE S05°39'12"E, 223.76 FEET; THENCE S34°32'53"W, 127.82 FEET; THENCE S82°40'40"W, 468.80 FEET; THENCE S84°58'32"W, 363.54 FEET; THENCE

N51°44'32"W, 165.27 FEET; THENCE N73°02'31"W, 15.00 FEET TO A POINT ON
 THE ARC OF A CURVE CONCAVE WESTERLY, HAVING A RADIUS OF 1,665.00
 FEET AND A CHORD BEARING AND DISTANCE OF N05°00'17"E, 689.69 FEET;
 THENCE NORTHERLY ALONG THE ARC OF SAID CURVE, THROUGH A
 CENTRAL ANGLE OF 23°54'23", A DISTANCE OF 694.71 FEET TO THE POINT
 OF TANGENCY; THENCE N06°56'54"W, 544.34 FEET TO THE POINT OF
 CURVATURE OF A CURVE CONCAVE EASTERLY AND HAVING A RADIUS OF
 915.00 FEET; THENCE NORTHERLY ALONG THE ARC THEREOF THROUGH A
 CENTRAL ANGLE OF 21°27'04", A DISTANCE OF 342.57 FEET TO THE POINT
 OF COMPOUND CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND
 HAVING A RADIUS OF 50.00 FEET; THENCE NORTHEASTERLY ALONG THE
 ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 57°11'49", A
 DISTANCE OF 49.91 FEET TO THE POINT OF REVERSE CURVATURE OF A
 CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 131.00
 FEET; THENCE NORTHEASTERLY AND NORTHWESTERLY ALONG THE ARC
 OF SAID CURVE THROUGH A CENTRAL ANGLE OF 99°55'42", A DISTANCE OF
 228.47 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE
 CONCAVE EASTERLY AND HAVING A RADIUS OF 50.00 FEET; THENCE
 NORTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL
 ANGLE OF 52°37'25", A DISTANCE OF 45.92 FEET TO THE POINT OF
 TANGENCY; THENCE N24°23'42"E, 125.50 FEET TO THE POINT OF
 CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A
 RADIUS OF 1,515.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC
 THEREOF THROUGH A CENTRAL ANGLE OF 21°44'11", A DISTANCE OF 574.75
 FEET TO THE POINT OF TANGENCY; THENCE N46°07'53"E, 902.91 FEET TO
 THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHWESTERLY AND
 HAVING A RADIUS OF 1,665.00 FEET; THENCE NORTHEASTERLY ALONG
 THE ARC THEREOF THROUGH A CENTRAL ANGLE OF 25°26'35", A DISTANCE
 OF 739.37 FEET TO A NON-TANGENT LINE; THENCE S69°18'42"E, 15.00 FEET;
 THENCE S60°23'00"E, 171.84 FEET; THENCE S81°16'42"E, 70.64 FEET; THENCE
 N83°48'51"E, 114.45 FEET; THENCE N53°47'01"E, 130.77 FEET; THENCE
 N37°55'06"E, 72.19 FEET; THENCE N40°18'09"E, 46.52 FEET; THENCE
 N46°18'17"E, 96.08 FEET; THENCE S85°17'01"E, 90.89 FEET; THENCE
 S71°44'55"E, 142.63 FEET; THENCE S82°46'08"E, 210.00 FEET; THENCE
 S84°18'10"E, 216.64 FEET; THENCE S39°52'52"E, 128.12 FEET; THENCE
 S01°46'31"E, 106.49 FEET; THENCE S51°00'49"E, 381.84 FEET; THENCE
 S11°39'20"W, 320.20 FEET; THENCE S10°36'27"W, 138.30 FEET; THENCE
 S09°14'51"W, 286.71 FEET; THENCE S07°37'20"W, 261.56 FEET; THENCE
 S40°58'48"W, 174.73 FEET; THENCE S10°05'29"E, 193.56 FEET; THENCE
 S00°02'41"W, 77.54 FEET; THENCE S12°33'56"W, 66.94 FEET; THENCE
 S06°50'45"W, 67.13 FEET; THENCE S10°03'33"E, 158.96 FEET; THENCE
 S01°31'30"E, 92.18 FEET; THENCE S17°45'02"W, 92.10 FEET; THENCE
 S20°41'45"W, 71.44 FEET; THENCE S10°09'14"W, 71.20 FEET; THENCE
 S00°29'31"E, 270.53 FEET; THENCE S38°43'19"W, 169.92 FEET TO A POINT ON
 THE ARC OF A CURVE CONCAVE NORTHERLY, HAVING A RADIUS OF 250.00

FEET AND A CHORD BEARING AND DISTANCE OF S74°56'01"W, 74.22 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 17°04'21", AN ARC DISTANCE OF 74.49 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE NORTHERLY AND HAVING A RADIUS OF 325.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 25°43'38", AN ARC DISTANCE OF 145.93 FEET TO A NON-TANGENT LINE; THENCE N04°31'14"W, 219.19 FEET; THENCE N61°32'20"W, 46.18 FEET; THENCE S83°52'57"W, 66.01 FEET; THENCE S80°03'32"W, 80.94 FEET; THENCE S87°58'35"W, 54.13; THENCE N85°07'48"W, 283.15 FEET; THENCE S87°52'41"W, 61.85 FEET; THENCE S62°03'22"W, 70.42 FEET; THENCE S50°32'20"W, 71.28 FEET; THENCE S30°36'15"W, 70.66 FEET; THENCE S06°00'09"W, 55.83 FEET; THENCE S16°20'16"W, 96.49 FEET TO THE POINT OF BEGINNING.

AND

THAT LAND LYING IN SECTIONS 9, 10, 11, 12, 14, 15 AND 16, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE SOUTHEAST CORNER OF THE SOUTHWEST 1/4 OF SAID SECTION 11 RUN N00°35'25"E, ALONG THE EAST LINE THEREOF A DISTANCE OF 45.37 FEET; THENCE DEPARTING SAID EAST LINE, N89°24'35"W, 13.35 FEET TO THE POINT OF BEGINNING; THENCE S22°44'15"W, 156.06 FEET; THENCE S61°37'20"W, 104.64 FEET; THENCE S41°37'31"W, 109.38 FEET; THENCE S29°46'13"W, 152.95 FEET; THENCE S46°18'11"W, 159.89 FEET; THENCE S32°51'36"W, 114.69 FEET; THENCE S63°26'44"W, 292.14 FEET; THENCE S17°03'25"E, 129.00 FEET; THENCE S71°04'16"W, 194.72 FEET; THENCE S32°09'31"W, 64.87 FEET; THENCE S67°48'07"W, 142.86 FEET; THENCE S54°08'44"W, 128.90 FEET; THENCE S84°18'31"W, 293.92 FEET; THENCE S77°06'26"W, 307.21 FEET; THENCE N05°51'03"E, 83.40 FEET; THENCE N69°56'47"W, 210.30 FEET; THENCE N44°32'14"W, 201.43 FEET; THENCE S56°58'45"W, 124.42 FEET; THENCE N84°44'29"W, 110.41 FEET; THENCE N44°35'47"W, 152.99 FEET; THENCE S82°19'45"W, 239.45 FEET; THENCE S00°35'41"W, 219.25 FEET; THENCE S82°41'11"W, 61.73 FEET; THENCE S16°56'33"W, 52.09 FEET; THENCE S75°04'01"W, 94.45 FEET; THENCE N32°23'35"W, 87.60 FEET; THENCE N72°09'54"W, 141.48 FEET; THENCE S68°33'23"W, 82.36 FEET; THENCE N73°07'27"W, 109.23 FEET; THENCE N48°49'49"W, 107.83 FEET; THENCE N41°52'00"W, 75.64 FEET; THENCE N39°15'00"W, 231.45 FEET; THENCE N18°58'33"W, 413.10 FEET; THENCE N24°05'29"W, 215.61 FEET; THENCE N35°06'16"W, 73.32 FEET; THENCE S81°27'38"W, 128.62 FEET; THENCE S57°06'54"W, 102.00 FEET; THENCE N89°26'50"W, 92.95 FEET; THENCE N82°33'56"W, 75.54 FEET; THENCE S83°16'39"W, 57.76 FEET; THENCE S67°04'25"W, 141.18 FEET; THENCE N23°01'28"W, 106.48 FEET TO A POINT ON THE ARC OF A NON-TANGENT

CURVE CONCAVE NORTHERLY, HAVING A RADIUS OF 205.00 FEET AND A CHORD BEARING AND DISTANCE OF S76°46'40"W, 69.80 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 19°36'15", AN ARC DISTANCE OF 70.14 FEET TO THE POINT OF TANGENCY; THENCE S86°34'48"W, 170.39 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHERLY AND HAVING A RADIUS OF 205.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 03°01'12", AN ARC DISTANCE OF 10.81 FEET TO A NON-TANGENT LINE; THENCE S15°14'57"E, 94.67 FEET; THENCE S50°21'32"W, 56.88 FEET; THENCE S25°29'20"W, 173.91 FEET; THENCE S33°58'25"W, 80.12 FEET; THENCE S30°54'02"W, 150.00 FEET; THENCE S27°52'22"W, 63.26 FEET; THENCE S16°25'31"W, 251.31 FEET; THENCE S48°06'08"W, 171.32 FEET; THENCE S54°29'10"W, 93.34 FEET; THENCE S14°58'35"W, 134.81 FEET; THENCE S10°49'29"W, 108.67 FEET; THENCE S07°36'11"E, 48.92 FEET; THENCE S29°50'04"E, 162.58 FEET; THENCE S44°29'27"E, 131.46 FEET; THENCE S05°27'32"W, 248.07 FEET; THENCE S09°54'40"W, 100.04 FEET; THENCE S07°13'43"W, 244.17 FEET; THENCE S36°49'11"E, 38.41 FEET; THENCE S25°06'19"E, 143.86 FEET; THENCE S11°38'38"E, 113.99 FEET; THENCE S11°59'10"E, 128.94 FEET; THENCE S04°22'02"E, 138.96 FEET; THENCE S11°01'23"W, 107.66 FEET; THENCE S03°36'32"W, 158.41 FEET; THENCE S30°19'46"E, 81.19 FEET; THENCE S00°28'23"W, 93.79 FEET; THENCE S03°34'15"E, 238.17 FEET; THENCE S38°08'23"W, 78.25 FEET; THENCE S78°22'55"W, 11.45 FEET; THENCE N77°44'00"W, 354.38 FEET; THENCE S69°00'34"W, 111.59 FEET; THENCE S51°31'59"E, 10.17 FEET; THENCE S28°03'05"W, 43.86 FEET; THENCE S61°48'15"W, 29.59 FEET; THENCE N87°02'07"W, 46.89 FEET; THENCE N81°48'57"W, 61.64 FEET; THENCE S37°07'08"W, 49.20 FEET; THENCE S47°02'34"W, 83.85 FEET; THENCE S00°57'17"E, 102.17 FEET; THENCE S38°29'44"W, 159.82 FEET TO THE NORTHERLY RIGHT OF WAY LINE OF COUNTY ROAD 44-A; (THE FOLLOWING 3 COURSES BEING ALONG SAID NORTHERLY RIGHT OF WAY LINE OF COUNTY ROAD 44-A); THENCE N51°30'16"W, 839.64 FEET; THENCE S38°29'44"W, 10.95 FEET; THENCE N51°31'59"W, 1,009.67 FEET TO A POINT ON THE WESTERLY LINE OF PROPERTY DESCRIBED IN OFFICIAL RECORDS BOOK 450, PAGE 628, PUBLIC RECORDS OF SUMTER COUNTY, FLORIDA; THENCE ALONG SAID WESTERLY LINE RUN N38°28'15"E, 397.15 FEET TO THE NORTHEAST CORNER OF A FIVE (5)-ACRE PARCEL AS DESCRIBED IN O.R. BOOK 2453, PAGE 196, PUBLIC RECORDS OF SUMTER COUNTY, FLORIDA; THENCE ALONG THE NORTHERLY BOUNDARY OF SAID PARCEL, RUN N51°33'06"W A DISTANCE OF 601.12 FEET, MORE OR LESS, TO THE NORTHWEST CORNER OF SAID FIVE (5)-ACRE PARCEL AND A POINT ON THE EASTERLY LINE OF PROPERTY DESCRIBED IN OFFICIAL RECORDS BOOK 1106, PAGE 84, PUBLIC RECORDS OF SUMTER COUNTY, FLORIDA; THENCE ALONG THE EASTERLY LINE OF AFORESAID PROPERTY RUN N27°04'17"E A DISTANCE OF 608.73 FEET TO A CONCRETE MONUMENT AT THE NORTHEAST CORNER OF AFORESAID

PROPERTY; THENCE RUN N89°24'11"W, ALONG THE NORTH LINE OF AFORESAID PROPERTY AND THE NORTH LINE OF PROPERTY DESCRIBED IN OFFICIAL RECORDS BOOK 1106, PAGE 60, PUBLIC RECORDS OF SUMTER COUNTY, FLORIDA A DISTANCE OF 840.28 FEET TO A POINT ON THE WEST LINE OF THE NORTHWEST 1/4 OF SAID SECTION 15; THENCE N00°34'50"E, ALONG SAID WEST LINE A DISTANCE OF 162.91 FEET; THENCE DEPARTING SAID WEST LINE N88°06'37"W, 64.96 FEET; THENCE N82°23'33"W, 25.70 FEET; THENCE S89°19'26"W, 82.69 FEET; THENCE N67°41'17"W, 128.21 FEET; THENCE N87°23'08"W, 65.24 FEET; THENCE S61°35'59"W, 29.56 FEET; THENCE S58°25'59"W, 52.51 FEET; THENCE S09°06'25"W, 83.13 FEET; THENCE S31°11'44"W, 87.63 FEET; THENCE S39°12'06"W, 169.84 FEET TO A POINT ON THE NORTH RIGHT OF WAY LINE OF COUNTY ROAD NO. 44A, MAINTENANCE ONLY, RECORDED IN RIGHT OF WAY MAP BOOK 4, PAGES 117 THROUGH 124, PUBLIC RECORDS OF SUMTER COUNTY, FLORIDA; (THE FOLLOWING 5 COURSES BEING ALONG SAID NORTH RIGHT OF WAY LINE OF COUNTY ROAD NO. 44A); THENCE N52°00'04"W, 210.02 FEET; THENCE N52°08'21"W, 384.83 FEET; THENCE N51°21'05"W, 50.58 FEET; THENCE N52°14'51"W, 162.73 FEET; THENCE N51°58'45"W, 100.32 FEET TO A POINT ON THE WEST LINE OF THE NORTHEAST 1/4 OF THE NORTHEAST 1/4 OF SAID SECTION 16; THENCE N00°35'25"E, ALONG SAID WEST LINE A DISTANCE OF 1,048.93 FEET TO THE SOUTHWEST CORNER OF SOUTHEAST 1/4 OF THE SOUTHEAST 1/4 OF SAID SECTION 9; THENCE N00°31'22"E, ALONG THE WEST LINE THEREOF A DISTANCE OF 290.29 FEET; THENCE DEPARTING SAID WEST LINE N84°53'36"E, 516.06 FEET; THENCE S88°20'11"E, 150.28 FEET; THENCE N38°13'36"E, 96.82 FEET; THENCE N44°40'37"E, 37.79 FEET; THENCE N51°35'50"E, 42.02 FEET; THENCE N54°18'28"E, 55.14 FEET; THENCE N22°50'34"E, 41.06 FEET; THENCE N06°34'37"W, 188.74 FEET; THENCE N22°09'55"W, 56.93 FEET; THENCE N86°07'53"W, 59.27 FEET; THENCE S85°45'04"W, 740.23 FEET TO SAID WEST LINE; THENCE N00°31'22"E, ALONG SAID WEST LINE A DISTANCE OF 624.35 FEET; THENCE DEPARTING SAID WEST LINE S89°36'29"E, 73.50 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 1,340.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 49°55'13", AN ARC DISTANCE OF 1,167.50 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE SOUTHERLY AND HAVING A RADIUS OF 49.00 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 57°21'35", AN ARC DISTANCE OF 49.05 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 131.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 94°47'52", AN ARC DISTANCE OF 216.74 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 94.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 46°48'29", AN ARC DISTANCE OF 76.79 FEET TO THE

POINT OF TANGENCY; THENCE N49°50'30"E, 137.13 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 1,450.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 22°01'14", AN ARC DISTANCE OF 557.28 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 1,460.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 41°00'07", AN ARC DISTANCE OF 1,044.81 FEET TO A NON-TANGENT LINE; THENCE S59°08'23"E, 84.35 FEET; THENCE S22°28'26"E, 57.09 FEET; THENCE S22°11'04"E, 97.35 FEET; THENCE S23°15'13"E, 202.42 FEET; THENCE S20°01'16"E, 25.13 FEET; THENCE S63°44'08"W, 259.71 FEET; THENCE S47°00'21"W, 147.01 FEET; THENCE S65°34'15"W, 25.92 FEET; THENCE S11°43'15"E, 88.34 FEET; THENCE S13°37'17"E, 169.00 FEET; THENCE S24°23'32"E, 65.71 FEET; THENCE S60°34'11"E, 62.54 FEET; THENCE S87°43'07"E, 54.95 FEET; THENCE N70°41'54"E, 288.94 FEET; THENCE S08°09'53"E, 29.80 FEET; THENCE S41°56'49"E, 186.34 FEET; THENCE S23°06'11"E, 120.19 FEET; THENCE S03°08'54"E, 152.95 FEET; THENCE S19°31'21"E, 84.82 FEET; THENCE S70°28'39"W, 131.54 FEET; THENCE S40°21'51"E, 317.90 FEET; THENCE S19°31'21"E, 868.75 FEET; THENCE N88°46'58"E, 361.64 FEET; THENCE S08°14'16"W, 47.92 FEET; THENCE S06°38'15"W, 94.43 FEET; THENCE S17°15'31"E, 101.06 FEET; THENCE S73°54'23"E, 109.77 FEET; THENCE N80°45'01"E, 97.88 FEET; THENCE S80°56'14"E, 65.43 FEET; THENCE S36°58'02"E, 16.49 FEET; THENCE S23°37'26"W, 80.48 FEET; THENCE S27°45'33"E, 95.60 FEET; THENCE S11°50'21"W, 73.32 FEET; THENCE N85°07'15"E, 91.30 FEET; THENCE N79°18'45"E, 120.66 FEET; THENCE S66°27'40"E, 90.17 FEET; THENCE S37°00'10"E, 86.86 FEET TO THE SOUTH LINE OF THE SOUTHEAST 1/4 OF SAID SECTION 10; THENCE S89°28'25"E, ALONG SAID SOUTH LINE A DISTANCE OF 260.25 FEET; THENCE DEPARTING SAID SOUTH LINE S03°25'12"E, 107.34 FEET TO A POINT ON THE ARC OF A NON-TANGENT CURVE CONCAVE NORTHERLY, HAVING A RADIUS OF 155.00 FEET AND A CHORD BEARING AND DISTANCE OF N69°14'30"E, 27.36 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°07'30", AN ARC DISTANCE OF 27.39 FEET TO THE POINT OF TANGENCY; THENCE N64°10'45"E, 114.80 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHERLY AND HAVING A RADIUS OF 275.00 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 26°22'25", AN ARC DISTANCE OF 126.58 FEET TO THE POINT OF TANGENCY; THENCE S89°26'50"E, 224.67 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHERLY AND HAVING A RADIUS OF 50.00 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 35°01'18", AN ARC DISTANCE OF 30.56 FEET TO A NON-TANGENT LINE; THENCE N35°34'28"E, 32.75 FEET TO A POINT ON SAID SOUTH LINE; THENCE S89°28'25"E, ALONG SAID SOUTH LINE A DISTANCE OF 803.43 FEET; THENCE DEPARTING SAID SOUTH LINE N00°00'00"E, 332.08 FEET; THENCE N24°20'31"E, 90.62 FEET; THENCE

N46°47'32"E, 65.26 FEET; THENCE N57°47'48"E, 89.46 FEET; THENCE
 N20°09'34"W, 84.16 FEET; THENCE N12°53'17"W, 210.76 FEET; THENCE
 N63°23'06"W, 77.59 FEET; THENCE N60°36'00"W, 101.19 FEET; THENCE
 N31°28'01"W, 83.30 FEET; THENCE S44°44'19"W, 47.66 FEET; THENCE
 S63°40'58"W, 116.19 FEET; THENCE S75°06'22"W, 64.60 FEET; THENCE
 S64°43'36"W, 63.56 FEET; THENCE S60°31'30"W, 70.00 FEET; THENCE
 S65°12'13"W, 122.60 FEET; THENCE S85°27'02"W, 568.83 FEET; THENCE
 N44°16'28"W, 151.80 FEET; THENCE N13°37'54"W, 130.70 FEET; THENCE
 N13°45'30"W, 73.29 FEET; THENCE N18°06'38"W, 72.87 FEET; THENCE
 N40°11'04"W, 151.52 FEET; THENCE N01°47'04"W, 139.11 FEET; THENCE
 N57°33'25"W, 161.80 FEET; THENCE N26°21'53"W, 626.45 FEET; THENCE
 S65°42'28"W, 128.17 FEET TO THE POINT OF CURVATURE OF A CURVE
 CONCAVE NORTHERLY AND HAVING A RADIUS OF 1,280.00 FEET; THENCE
 WESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE
 OF 15°30'23", AN ARC DISTANCE OF 346.42 FEET TO A NON-TANGENT LINE;
 THENCE N08°47'09"W, 60.00 FEET; THENCE N02°29'11"E, 556.42 FEET; THENCE
 N14°07'01"E, 677.54 FEET; THENCE S46°32'24"E, 99.36 FEET; THENCE
 S72°59'44"E, 128.64 FEET; THENCE N64°45'07"E, 126.92 FEET; THENCE
 N50°35'09"E, 129.41 FEET; THENCE N21°26'58"E, 73.87 FEET; THENCE
 N19°36'47"E, 72.09 FEET; THENCE N25°22'53"E, 69.13 FEET; THENCE
 N79°16'57"E, 65.44 FEET; THENCE N67°26'10"E, 98.23 FEET; THENCE
 S38°03'28"E, 153.75 FEET; THENCE S15°05'32"E, 61.59 FEET; THENCE
 S04°57'47"W, 42.78 FEET; THENCE S89°22'51"E, 144.67 FEET; THENCE
 N07°58'19"W, 79.85 FEET; THENCE N18°55'46"E, 78.57 FEET; THENCE
 N50°42'19"E, 177.92 FEET; THENCE S59°47'45"E, 57.89 FEET; THENCE
 S47°22'10"E, 117.34 FEET; THENCE S10°01'34"E, 184.87 FEET; THENCE
 S30°52'25"E, 102.47 FEET; THENCE S46°46'31"E, 177.93 FEET; THENCE
 S77°43'02"E, 177.45 FEET; THENCE S71°25'51"E, 112.77 FEET; THENCE
 S60°52'47"E, 84.25 FEET; THENCE S82°58'08"E, 92.71 FEET; THENCE
 S32°47'36"W, 439.51 FEET; THENCE S31°55'32"W, 60.02 FEET; THENCE
 S21°06'14"W, 59.97 FEET; THENCE S18°40'59"W, 59.20 FEET; THENCE
 S12°36'30"W, 59.94 FEET; THENCE S12°17'59"W, 88.76 FEET TO A POINT ON
 THE ARC OF A NON-TANGENT CURVE CONCAVE SOUTHWESTERLY,
 HAVING A RADIUS OF 2,841.98 FEET AND A CHORD BEARING AND
 DISTANCE OF S66°49'04"E, 846.36 FEET; THENCE SOUTHEASTERLY ALONG
 THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 17°07'36", AN
 ARC DISTANCE OF 849.52 FEET TO THE POINT OF COMPOUND CURVATURE
 OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF
 1,130.00 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE
 THROUGH A CENTRAL ANGLE OF 10°32'43", AN ARC DISTANCE OF 207.98
 FEET TO THE POINT OF TANGENCY; THENCE S47°42'33"E, 388.21 FEET TO
 THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHERLY AND
 HAVING A RADIUS OF 20.00 FEET; THENCE EASTERLY ALONG THE ARC OF
 SAID CURVE THROUGH A CENTRAL ANGLE OF 92°11'55", AN ARC DISTANCE
 OF 32.18 FEET TO THE POINT OF TANGENCY; THENCE N40°05'32"E, 402.38

FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE
 NORTHWESTERLY AND HAVING A RADIUS OF 1,370.00 FEET; THENCE
 NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL
 ANGLE OF 14°41'57", AN ARC DISTANCE OF 351.47 FEET TO A NON-TANGENT
 LINE; THENCE S64°36'25"E, 60.00 FEET; THENCE S38°15'14"E, 118.83 FEET;
 THENCE S34°10'54"E, 86.47 FEET; THENCE S59°48'05"E, 82.33 FEET; THENCE
 S63°07'40"E, 74.93 FEET; THENCE S80°19'26"E, 72.26 FEET; THENCE
 N84°59'18"E, 67.88 FEET; THENCE N81°46'16"E, 68.54 FEET; THENCE
 N76°45'39"E, 68.22 FEET; THENCE N71°14'49"E, 80.88 FEET; THENCE
 N65°18'02"E, 79.91 FEET; THENCE N59°49'21"E, 68.22 FEET; THENCE
 N56°17'10"E, 69.60 FEET; THENCE N56°33'35"E, 71.58 FEET; THENCE
 N57°46'45"E, 140.77 FEET; THENCE N57°49'28"E, 70.00 FEET; THENCE
 N53°08'44"E, 66.52 FEET; THENCE N44°32'16"E, 79.50 FEET; THENCE
 N43°47'00"E, 70.00 FEET; THENCE N36°13'29"E, 287.37 FEET; THENCE
 S46°43'20"E, 472.38 FEET; THENCE S60°52'42"E, 769.61 FEET; THENCE
 S25°38'42"E, 86.09 FEET; THENCE S07°08'26"E, 60.00 FEET TO A POINT ON THE
 ARC OF A NON-TANGENT CURVE CONCAVE SOUTHERLY, HAVING A
 RADIUS OF 1,370.00 FEET AND A CHORD BEARING AND DISTANCE OF
 S88°08'01"E, 428.96 FEET; THENCE EASTERLY ALONG THE ARC OF SAID
 CURVE, THROUGH A CENTRAL ANGLE OF 18°00'50", AN ARC DISTANCE OF
 430.73 FEET TO THE POINT OF TANGENCY; THENCE S79°07'36"E, 221.27 FEET
 TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHERLY AND
 HAVING A RADIUS OF 1,230.00 FEET; THENCE EASTERLY ALONG THE ARC
 OF SAID CURVE THROUGH A CENTRAL ANGLE OF 24°26'45", AN ARC
 DISTANCE OF 524.79 FEET TO THE POINT OF TANGENCY; THENCE
 N76°25'39"E, 386.10 FEET TO THE POINT OF CURVATURE OF A CURVE
 CONCAVE SOUTHERLY AND HAVING A RADIUS OF 1,470.00 FEET; THENCE
 EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE
 OF 01°07'59", AN ARC DISTANCE OF 29.07 FEET TO THE POINT OF
 TANGENCY; THENCE S62°29'33"E, 175.12 FEET; THENCE S59°23'48"E, 101.38
 FEET; THENCE S64°58'10"E, 102.98 FEET; THENCE S59°23'48"E, 208.09 FEET;
 THENCE S25°43'18"W, 403.86 FEET; THENCE S49°44'33"W, 91.60 FEET; THENCE
 S24°01'00"W, 73.59 FEET; THENCE S10°14'40"W, 219.84 FEET; THENCE
 S45°42'19"W, 104.12 FEET; THENCE S28°52'51"W, 143.80 FEET; THENCE
 S57°50'32"W, 42.33 FEET; THENCE S58°02'45"W, 71.41 FEET; THENCE
 S58°41'03"W, 102.72 FEET; THENCE S43°02'33"W, 175.43 FEET; THENCE
 S80°17'14"W, 297.92 FEET; THENCE N86°19'47"W, 117.28 FEET; THENCE
 N73°05'49"W, 124.07 FEET; THENCE N70°42'40"W, 224.68 FEET; THENCE
 N54°39'22"W, 83.38 FEET; THENCE N71°26'05"W, 87.42 FEET; THENCE
 S34°48'26"W, 161.44 FEET; THENCE S81°57'54"W, 86.17 FEET; THENCE
 N52°49'14"W, 94.78 FEET; THENCE N38°40'58"W, 77.49 FEET; THENCE
 N25°43'02"E, 89.60 FEET; THENCE N52°44'57"E, 72.56 FEET; THENCE
 N51°51'43"E, 88.45 FEET TO THE POINT OF CURVATURE OF A CURVE
 CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 114.00 FEET;
 THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A

CENTRAL ANGLE OF 12°24'46", AN ARC DISTANCE OF 24.70 FEET TO A NON-TANGENT LINE; THENCE N10°34'01"E, 94.57 FEET; THENCE N22°15'01"W, 132.63 FEET; THENCE N55°44'24"W, 50.35 FEET; THENCE N89°39'25"W, 53.80 FEET; THENCE N26°43'08"W, 113.15 FEET; THENCE N86°58'36"W, 68.05 FEET; THENCE S61°18'46"W, 245.19 FEET; THENCE S50°37'13"W, 230.41 FEET; THENCE S33°26'08"W, 119.48 FEET; THENCE S70°18'39"W, 72.43 FEET; THENCE S78°55'29"W, 87.92 FEET; THENCE S72°46'04"W, 132.11 FEET; THENCE S59°41'38"W, 57.07 FEET; THENCE S32°47'07"W, 96.39 FEET; THENCE S06°18'19"W, 78.07 FEET; THENCE S02°58'38"E, 63.74 FEET; THENCE S25°52'47"E, 68.57 FEET; THENCE S47°03'25"E, 66.52 FEET; THENCE S74°22'11"E, 120.44 FEET TO THE POINT OF BEGINNING.

LESS

THAT LAND LYING IN SECTION 11, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE SOUTHEAST CORNER OF THE SOUTHWEST 1/4 OF SAID SECTION 11 RUN N00°35'25"E, ALONG THE EAST LINE THEREOF A DISTANCE OF 1126.40 FEET; THENCE DEPARTING SAID EAST LINE, N89°24'35"W, 137.88 FEET TO THE POINT OF BEGINNING; THENCE S50°05'24"W, 283.40 FEET; THENCE S50°57'42"W, 75.35 FEET; THENCE S61°11'35"W, 23.39 FEET; THENCE N25°22'26"W, 203.64 FEET TO A POINT ON THE ARC OF A NON-TANGENT CURVE CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 1,534.81 FEET AND A CHORD BEARING AND DISTANCE OF N58°42'08"E, 47.02 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 01°45'20", AN ARC DISTANCE OF 47.03 FEET TO THE POINT OF TANGENCY; THENCE N57°49'28"E, 299.37 FEET; THENCE S35°17'28"E, 155.95 FEET TO THE POINT OF BEGINNING.

ALSO LESS

THAT LAND LYING IN SECTION 10, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE SOUTHEAST CORNER OF THE SOUTHEAST 1/4 OF SAID SECTION 10 RUN N00°33'20"E, ALONG THE EAST LINE THEREOF A DISTANCE OF 1825.31 FEET; THENCE DEPARTING SAID EAST LINE, N89°26'40"W, 424.79 FEET TO THE POINT OF BEGINNING; THENCE S30°19'49"W, 354.75 FEET; THENCE N80°05'03"W, 103.81 FEET; THENCE N86°00'25"W, 65.90 FEET; THENCE N89°47'02"W, 65.90 FEET; THENCE S86°31'19"W, 74.32 FEET; THENCE S72°12'46"W, 73.87 FEET; THENCE N19°04'57"W, 233.36 FEET; THENCE N06°24'16"E, 318.16 FEET TO A POINT ON THE ARC OF A NON-TANGENT CURVE CONCAVE SOUTHERLY, HAVING A RADIUS OF 2,781.98 FEET AND A CHORD BEARING AND DISTANCE OF S69°17'46"E, 639.69 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 13°12'13", AN ARC DISTANCE OF 641.10 FEET TO THE POINT OF

BEGINNING.

ALSO LESS

THAT LAND LYING IN SECTIONS 10 AND 15, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE NORTHWEST CORNER OF THE NORTHWEST 1/4 OF SAID SECTION 15 RUN S00°34'50"W, ALONG THE WEST LINE THEREOF A DISTANCE OF 385.13 FEET; THENCE DEPARTING SAID WEST LINE, S89°25'10"E, 485.09 FEET TO THE POINT OF BEGINNING; THENCE N01°19'30"W, 246.59 FEET; THENCE N18°37'49"W, 146.87 FEET; THENCE N01°59'36"W, 51.00 FEET; THENCE N15°33'12"W, 117.07 FEET; THENCE N21°20'25"E, 57.29 FEET; THENCE N55°27'52"W, 139.56 FEET; THENCE N76°50'16"W, 43.55 FEET; THENCE N88°24'55"W, 50.63 FEET; THENCE S70°55'19"W, 44.74 FEET; THENCE N09°34'21"W, 81.01 FEET; THENCE N13°44'32"W, 60.42 FEET; THENCE N12°46'57"W, 25.00 FEET; THENCE N10°57'14"W, 63.81 FEET; THENCE N09°04'04"E, 62.70 FEET; THENCE N29°07'49"E, 62.71 FEET; THENCE S88°56'35"E, 82.99 FEET; THENCE N11°59'05"E, 131.26 FEET; THENCE N09°17'14"E, 106.44 FEET; THENCE N14°27'25"E, 79.17 FEET; THENCE N25°20'05"E, 83.57 FEET TO A POINT ON THE ARC OF A NON-TANGENT CURVE CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 1,768.81 FEET AND A CHORD BEARING AND DISTANCE OF S67°02'11"E, 58.02 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 01°52'46", AN ARC DISTANCE OF 58.02 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE NORTHERLY AND HAVING A RADIUS OF 125.00 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 64°29'06", AN ARC DISTANCE OF 140.68 FEET TO THE POINT OF TANGENCY; THENCE N47°32'20"E, 25.52 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 475.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 08°59'00", AN ARC DISTANCE OF 74.47 FEET TO THE POINT OF TANGENCY; THENCE N56°31'20"E, 46.42 FEET; THENCE S33°28'40"E, 179.66 FEET; THENCE N07°55'42"E, 10.66 FEET; THENCE N25°05'20"E, 79.08 FEET; THENCE N41°02'48"E, 154.09 FEET; THENCE N06°16'16"W, 60.92 FEET; THENCE N21°52'39"E, 65.15 FEET; THENCE N07°04'50"W, 30.21 FEET TO A POINT ON THE ARC OF A NON-TANGENT CURVE CONCAVE NORTHERLY, HAVING A RADIUS OF 730.00 FEET AND A CHORD BEARING AND DISTANCE OF N82°00'55"E, 23.04 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 01°48'30", AN ARC DISTANCE OF 23.04 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE NORTHERLY AND HAVING A RADIUS OF 1,530.00 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 05°27'29", AN ARC DISTANCE OF 145.75 FEET TO A NON-TANGENT LINE; THENCE S14°20'49"E, 38.24 FEET; THENCE S10°59'23"E, 139.33 FEET; THENCE

S20°58'23"E, 81.69 FEET; THENCE S78°18'40"E, 82.50 FEET; THENCE S34°26'14"E, 75.04 FEET; THENCE S01°21'06"W, 107.72 FEET; THENCE S42°15'43"E, 78.71 FEET; THENCE N47°11'25"E, 116.70 FEET; THENCE S31°52'58"E, 99.58 FEET; THENCE S22°30'55"E, 76.71 FEET; THENCE S29°15'27"E, 76.88 FEET; THENCE S41°43'36"E, 73.50 FEET; THENCE S35°37'58"E, 66.78 FEET; THENCE S28°15'03"E, 63.26 FEET; THENCE S21°01'10"E, 67.81 FEET; THENCE S12°58'50"E, 71.84 FEET; THENCE S03°33'35"E, 80.07 FEET; THENCE S19°50'33"E, 51.19 FEET; THENCE S25°58'12"W, 107.99 FEET; THENCE S30°45'39"E, 111.20 FEET; THENCE S06°30'53"W, 97.62 FEET; THENCE S89°25'15"E, 198.71 FEET; THENCE S44°10'59"E, 53.30 FEET; THENCE S30°18'47"E, 49.89 FEET; THENCE S07°27'56"E, 56.07 FEET; THENCE S00°48'19"E, 66.96 FEET; THENCE S02°40'03"W, 66.96 FEET; THENCE S06°08'24"W, 59.58 FEET; THENCE S80°55'02"W, 85.31 FEET; THENCE S80°44'26"W, 25.00 FEET; THENCE S80°19'41"W, 70.00 FEET; THENCE S82°40'06"W, 66.20 FEET; THENCE S88°51'21"W, 65.63 FEET; THENCE N85°53'09"W, 68.09 FEET; THENCE N85°18'37"W, 227.70 FEET; THENCE N87°40'44"W, 76.79 FEET; THENCE N37°52'15"W, 154.64 FEET; THENCE N22°43'02"W, 58.40 FEET; THENCE N82°17'59"W, 66.34 FEET; THENCE S73°44'09"W, 78.84 FEET; THENCE S44°15'10"W, 198.85 FEET; THENCE S36°03'47"W, 67.91 FEET; THENCE S56°27'03"W, 114.27 FEET; THENCE N81°30'22"W, 122.51 FEET; THENCE N68°01'02"W, 136.22 FEET TO THE POINT OF BEGINNING.

AND

THAT LAND LYING IN SECTIONS 9 AND 10, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE NORTHEAST CORNER OF THE SOUTHEAST 1/4 OF SAID SECTION 9 RUN N89°36'47"W, ALONG THE NORTH LINE THEREOF A DISTANCE OF 1,279.70 FEET; THENCE DEPARTING SAID NORTH LINE, S00°23'13"W, 290.30 FEET TO THE POINT OF BEGINNING; THENCE N87°49'28"W, 222.23 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHERLY AND HAVING A RADIUS OF 1,530.00 FEET; THENCE WESTERLY ALONG THE ARC THEREOF THROUGH A CENTRAL ANGLE OF 02°58'07", A DISTANCE OF 79.27 FEET TO A NON-TANGENT LINE; THENCE N05°08'39"E, 60.00 FEET; THENCE N13°05'05"W, 162.41 FEET; THENCE N28°28'27"E, 527.23 FEET; THENCE N24°33'42"E, 206.74 FEET; THENCE N18°39'19"E, 101.55 FEET; THENCE N03°05'42"E, 86.59 FEET; THENCE N76°27'37"E, 123.98 FEET; THENCE N80°53'48"E, 99.83 FEET; THENCE N56°34'24"E, 136.51 FEET; THENCE N57°11'52"E, 125.20 FEET; THENCE N38°28'49"E, 108.28 FEET; THENCE N38°53'10"E, 103.73 FEET; THENCE N65°16'34"E, 122.51 FEET; THENCE N72°41'10"E, 144.98 FEET; THENCE S81°19'19"E, 38.26 FEET; THENCE S13°57'05"E, 147.92 FEET; THENCE S21°17'16"E, 16.99 FEET; THENCE S66°52'20"E, 80.33 FEET; THENCE S67°33'39"E, 140.00 FEET; THENCE S70°37'06"E, 75.05 FEET; THENCE S77°41'26"E, 74.61 FEET; THENCE S84°20'07"E,

65.63 FEET; THENCE N89°43'49"E, 67.03 FEET; THENCE N88°18'48"E, 139.43 FEET; THENCE N89°15'01"E, 25.00 FEET; THENCE S84°43'49"E, 85.72 FEET; THENCE N09°44'01"E, 33.63 FEET; THENCE S59°30'10"E, 28.31 FEET; THENCE S81°00'28"E, 73.20 FEET; THENCE S53°56'25"E, 79.65 FEET; THENCE S88°12'03"E, 54.93 FEET; THENCE N50°32'03"E, 91.35 FEET; THENCE N24°36'35"E, 42.73 FEET; THENCE N45°41'30"E, 119.84 FEET; THENCE N45°23'24"E, 79.19 FEET; THENCE N33°06'15"E, 63.02 FEET; THENCE N43°54'08"E, 48.52 FEET; THENCE N62°05'50"E, 130.64 FEET; THENCE N47°46'14"E, 53.28 FEET; THENCE N76°03'38"E, 68.18 FEET; THENCE N71°46'06"E, 46.43 FEET; THENCE N58°11'16"E, 66.29 FEET; THENCE N39°31'07"E, 65.69 FEET; THENCE N56°22'43"E, 54.68 FEET; THENCE N59°23'27"E, 100.77 FEET; THENCE N76°15'21"E, 15.00 FEET; THENCE S13°44'39"E, 79.01 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE WESTERLY AND HAVING A RADIUS OF 1,340.00 FEET; THENCE SOUTHERLY ALONG THE ARC THEREOF THROUGH A CENTRAL ANGLE OF 10°40'23", A DISTANCE OF 249.62 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 49.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 55°50'49", A DISTANCE OF 47.76 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE EASTERLY AND HAVING A RADIUS OF 131.00 FEET; THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 93°05'26", A DISTANCE OF 212.84 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE WESTERLY AND HAVING A RADIUS OF 94.00 FEET; THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 50°28'20", A DISTANCE OF 82.81 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 1,340.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 61°42'17", A DISTANCE OF 1,443.12 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 1,570.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 15°53'08", A DISTANCE OF 435.29 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 1,500.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 12°01'02", A DISTANCE OF 314.61 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 542.54 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 44°16'55", A DISTANCE OF 419.31 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 593.00 FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 14°21'42", A DISTANCE OF 148.64 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE NORTHWESTERLY AND HAVING A RADIUS OF 300.00

FEET; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 17°13'39", A DISTANCE OF 90.20 FEET TO THE POINT OF COMPOUND CURVATURE OF A CURVE CONCAVE NORTHERLY AND HAVING A RADIUS OF 1,220.00 FEET; THENCE WESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 33°22'21", A DISTANCE OF 710.60 FEET TO A NON-TANGENT LINE; THENCE N01°19'34"W, 45.00 FEET; THENCE N04°25'44"W, 860.56 FEET TO THE POINT OF BEGINNING.

AND

THAT LAND LYING IN SECTION 9, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE NORTHEAST CORNER OF THE NORTHWEST 1/4 OF SAID SECTION 9 RUN S00°30'05"W, ALONG THE EAST LINE THEREOF A DISTANCE OF 667.38 FEET TO THE SOUTH LINE OF THE NORTH 1/4 OF THE NORTHWEST 1/4 OF SAID SECTION 9; THENCE DEPARTING SAID EAST LINE, N89°35'38"W, ALONG SAID SOUTH LINE A DISTANCE OF 1,591.70 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE ALONG SAID SOUTH LINE N89°35'39"W, 423.11 FEET; THENCE DEPARTING SAID SOUTH LINE, S00°06'44"W, 28.71 FEET; THENCE N89°35'19"W, 568.89 FEET; THENCE S00°27'24"W, 163.64 FEET TO A POINT ON THE ARC OF A NON-TANGENT CURVE CONCAVE WESTERLY, HAVING A RADIUS OF 1599.55 FEET AND A CHORD BEARING AND DISTANCE OF S05°21'49"W, 297.20 FEET; THENCE SOUTHERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°39'40", A DISTANCE OF 297.63 FEET TO A POINT ON A NON-TANGENT LINE; THENCE S00°25'07"W, 1,511.83 FEET; THENCE S00°57'59"W, 987.31 FEET; THENCE S65°02'56"E, 808.32 FEET; THENCE S65°24'33"E, 365.88 FEET TO A POINT ON THE ARC OF A NON-TANGENT CURVE CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 1,500.00 FEET AND A CHORD BEARING AND DISTANCE OF S62°48'07"E, 29.99 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 01°08'44", A DISTANCE OF 29.99 FEET TO A POINT ON A NON-TANGENT LINE; THENCE N26°45'48"E, 313.94 FEET; THENCE N18°39'04"E, 250.94 FEET; THENCE N29°15'35"E, 62.41 FEET; THENCE N81°00'51"E, 163.56 FEET; THENCE N70°22'01"E, 71.49 FEET; THENCE N80°55'06"E, 391.86 FEET; THENCE S58°29'58"E, 107.82 FEET; THENCE S04°43'18"E, 210.31 FEET; THENCE S41°58'24"E, 224.28 FEET TO A POINT ON THE ARC OF A NON-TANGENT CURVE CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 960.00 FEET AND A CHORD BEARING AND DISTANCE OF N80°55'57"E, 378.68 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 22°45'00", A DISTANCE OF 381.18 FEET TO THE POINT OF TANGENCY; THENCE S87°41'32"E, 137.04 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHERLY AND HAVING A RADIUS

OF 840.00 FEET; THENCE EASTERLY ALONG THE ARC THEREOF THROUGH A
 CENTRAL ANGLE OF 17°13'08", A DISTANCE OF 252.44 FEET TO THE POINT
 OF COMPOUND CURVATURE OF A CURVE CONCAVE NORTHWESTERLY
 AND HAVING A RADIUS OF 94.00 FEET; THENCE NORTHEASTERLY ALONG
 THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 42°09'16", A
 DISTANCE OF 69.16 FEET TO THE POINT OF REVERSE CURVATURE OF A
 CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 131.00
 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE
 THROUGH A CENTRAL ANGLE OF 25°53'32", A DISTANCE OF 59.20 FEET TO
 THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE
 NORTHWESTERLY AND HAVING A RADIUS OF 80.00 FEET; THENCE
 NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL
 ANGLE OF 57°56'24", A DISTANCE OF 80.90 FEET TO THE POINT OF
 TANGENCY; THENCE N00°53'11"E, 55.55 FEET TO THE POINT OF CURVATURE
 OF A CURVE CONCAVE WESTERLY AND HAVING A RADIUS OF 15.00 FEET;
 THENCE NORTHERLY ALONG THE ARC THEREOF THROUGH A CENTRAL
 ANGLE OF 35°29'00", A DISTANCE OF 9.29 FEET TO THE POINT OF REVERSE
 CURVATURE OF A CURVE CONCAVE EASTERLY AND HAVING A RADIUS OF
 55.00 FEET; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE
 THROUGH A CENTRAL ANGLE OF 70°57'59", A DISTANCE OF 68.12 FEET TO
 THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE WESTERLY
 AND HAVING A RADIUS OF 15.00 FEET; THENCE NORTHERLY ALONG THE
 ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 35°29'00", A
 DISTANCE OF 9.29 FEET TO THE POINT OF TANGENCY; THENCE N00°53'11"E,
 110.33 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE
 WESTERLY AND HAVING A RADIUS OF 670.00 FEET; THENCE NORTHERLY
 ALONG THE ARC THEREOF THROUGH A CENTRAL ANGLE OF 06°12'22", A
 DISTANCE OF 72.57 FEET TO THE POINT OF TANGENCY; THENCE
 N05°19'11"W, 409.61 FEET TO THE POINT OF CURVATURE OF A CURVE
 CONCAVE WESTERLY AND HAVING A RADIUS OF 670.00 FEET; THENCE
 NORTHERLY ALONG THE ARC THEREOF THROUGH A CENTRAL ANGLE OF
 32°38'16", A DISTANCE OF 381.66 FEET TO THE POINT OF TANGENCY;
 THENCE N37°57'27"W, 424.50 FEET TO THE POINT OF CURVATURE OF A
 CURVE CONCAVE EASTERLY AND HAVING A RADIUS OF 730.00 FEET;
 THENCE NORTHERLY ALONG THE ARC THEREOF THROUGH A CENTRAL
 ANGLE OF 53°22'50", A DISTANCE OF 680.11 FEET TO THE POINT OF
 TANGENCY; THENCE N15°25'23"E, 278.83 FEET TO THE POINT OF
 CURVATURE OF A CURVE CONCAVE EASTERLY AND HAVING A RADIUS OF
 1,230.00 FEET; THENCE NORTHERLY ALONG THE ARC THEREOF THROUGH
 A CENTRAL ANGLE OF 08°01'49", A DISTANCE OF 172.39 FEET TO THE POINT
 OF TANGENCY; THENCE N23°27'12"E, 167.54 FEET; THENCE N66°32'48"W,
 155.42 FEET; THENCE S74°49'09"W, 100.76 FEET; THENCE S60°26'27"W, 70.61
 FEET; THENCE S36°11'06"W, 229.74 FEET; THENCE S35°23'40"W, 80.07 FEET;
 THENCE S31°02'50"W, 80.82 FEET; THENCE S29°58'52"W, 70.00 FEET; THENCE
 S28°56'39"W, 74.02 FEET; THENCE S25°48'13"W, 75.04 FEET; THENCE

S22°26'41"W, 81.47 FEET; THENCE S25°55'09"W, 82.38 FEET; THENCE S15°35'19"W, 75.60 FEET; THENCE S12°22'04"W, 75.60 FEET; THENCE S09°08'37"W, 75.60 FEET; THENCE S06°31'41"W, 72.21 FEET; THENCE S06°15'56"W, 140.00 FEET; THENCE S02°10'48"W, 140.36 FEET; THENCE S06°15'56"W, 116.80 FEET; THENCE S08°15'10"W, 23.22 FEET; THENCE S10°14'59"W, 64.75 FEET; THENCE S18°33'06"W, 68.58 FEET; THENCE S18°56'28"W, 140.00 FEET; THENCE S29°43'35"W, 72.96 FEET; THENCE S88°03'29"W, 574.91 FEET; THENCE N64°03'28"W, 54.82 FEET; THENCE N49°18'10"W, 689.66 FEET; THENCE N65°50'05"W, 128.44 FEET; THENCE N73°57'53"W, 70.71 FEET; THENCE N65°00'39"W, 80.90 FEET; THENCE N51°18'44"W, 76.65 FEET; THENCE N36°39'16"W, 61.03 FEET; THENCE N23°29'03"W, 60.26 FEET; THENCE N10°40'18"W, 59.64 FEET; THENCE N00°09'23"W, 76.75 FEET; THENCE N00°26'56"E, 289.00 FEET; THENCE N05°17'40"E, 73.07 FEET; THENCE N20°29'12"E, 65.50 FEET; THENCE N36°21'16"E, 73.46 FEET; THENCE N50°07'41"E, 71.90 FEET; THENCE N64°30'21"E, 62.94 FEET; THENCE N74°29'48"E, 175.88 FEET; THENCE N60°02'31"E, 412.86 FEET; THENCE N03°39'17"E, 407.97 FEET TO THE POINT OF BEGINNING.

LESS

THAT LAND LYING IN SECTION 9, TOWNSHIP 19 SOUTH, RANGE 23 EAST, SUMTER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS:

FROM THE NORTHEAST CORNER OF THE NORTHWEST 1/4 OF SAID SECTION 9 RUN S00°30'05"W, ALONG THE EAST LINE THEREOF A DISTANCE OF 2914.33 FEET; THENCE DEPARTING SAID EAST LINE, N89°29'55"W, 1185.96 FEET TO THE POINT OF BEGINNING; THENCE S01°56'31"E, 90.00 FEET; THENCE S06°00'15"W, 120.00 FEET; THENCE S10°12'04"W, 111.91 FEET; THENCE S40°09'10"W, 133.68 FEET; THENCE S05°46'35"W, 95.80 FEET; THENCE S28°21'31"W, 56.92 FEET; THENCE N65°02'56"W, 313.38 FEET; THENCE N55°56'45"W, 70.89 FEET; THENCE N00°57'59"E, 147.04 FEET; THENCE N14°21'28"E, 63.47 FEET; THENCE N29°31'39"E, 71.92 FEET; THENCE N34°08'25"E, 126.15 FEET; THENCE N40°41'50"E, 90.00 FEET TO A POINT ON THE ARC OF A CURVE CONCAVE NORTHERLY, HAVING A RADIUS OF 225.00 FEET AND A CHORD BEARING AND DISTANCE OF S70°41'00"E, 163.16 FEET; THENCE EASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 42°31'01", AN ARC DISTANCE OF 166.96 FEET TO THE POINT OF TANGENCY; THENCE N88°03'29"E, 158.04 FEET TO THE POINT OF BEGINNING.

