WILDWOOD UTILITY DEPENDENT DISTRICT (WUDD) SOUTH SUMTER UTILITY (SSU) AND SOUTHEAST WILDWOOD WATER CONSERVATION AUTHORITY (SEWWCA) 3571 Kiessel Rd The Villages, FL 32163 (352) 750-0000

Trash Application Permit and Customer Agreemen					
Application Date	Date for start of service				
Customer Name	Emergency Contact				
	Emergency Contact Phone				
Business Name	Billing Address				
Business Address	If other than business address				
	Billing Phone				
Location Phone	Federal Tax ID				
Business Type Retail, Office, Restaurant, Medical, if other	Square Foot Change from Previous Tennant YES □ NO □ r please specify				
If a restaurant list hours of operation, number of seats	and type of restaurant i.e. full-service casual, take out, fast food etc.				
	to WUDD – SSU and/or WUDD - SEWWCA Terms ules of South Sumter Utility and Southeast Wildwood Water Conservation				
Authority, as applicable regarding Water, Sewer, and Irrigation Water, Sewer, and Irrigation utilities for the property refere understood and agreed that the sale of water to Customer a service or supplying water after said water passes through including turn on/off of water service which is prohibited. The this agreement on behalf of Customer. Customer agrees to incur because of false representation in this application, as resulting from any failure or inability to provide service. It shall	tion User Rates, Fees and Charges, and Operating Policies and Procedures enced above, located within the boundaries of the utility's service area. It is further occurs at the meter, and SSU and SEWWCA have no responsibility related to the Utility supplied meter. Customers are advised not to tamper with meter, a person executing this application states he/she is duly authorized to execute to indemnify SSU and SEWWCA for damages SSU and SEWWCA may and Customer agrees to release and hold WUDD harmless from all damage. I be the obligation of the Customer to notify the SSU and SEWWCA of change of transfer of service is requested, and Customer shall be responsible for all				
Ac	cceptance of Terms				
Please PrintCustomer Name and Signature of Customer:Lboxe road understand as	Business Title nd agree to the terms set forth above.				
i nave read, understand a	nd agree to the terms set forth above.				
	G FOR SSU/SEWWCA USE ONLY				
Utility Company: SSU (potable) □ SEWWCA (irrigati Previous Tenant Use Type	on) Account Number Commercial Project Area				
Acceptance/Denial of Application:Util	ity Representative				
Deposit to be completed by Utility Representative					
□ Water & Sewer \$ □ □ Irrigati Date Paid: Check No.:	on \$ Amount Paid:				



Community Development Districts Utilities

CROSS-CONNECTION CONTROL PROGRAM

Dear Utility Customer.

The Potable water supplied to your facility is provided by a water system owned by Wildwood Utility Dependent District (WUDD). A critical element to operating a potable water system is to ensure the protection of the health and safety of the water supplied. One of the ways that this is achieved is by requiring that a Backflow Prevention Assembly be installed at all service connections. A Backflow Prevention Assembly is typically either a Double Check (DC) or Reduced Pressure Assembly (RP) and is located on the customer side of the water meter. Backflow Prevention Assemblies are installed on water service lines to all commercial buildings, Irrigation, and fire line services. This is further explained in the Cross-Connection Control Program Handbook that was created by WUDD in compliance with the rules of the Florida Department of Environmental Protection (FDEP). The Cross-Connection Control Program Handbook outlines the requirements of the customer, which includes installation and annual testing and maintenance on all Backflow Prevention Assemblies. A copy of the Cross-Connection Control Handbook can be downloaded on our website at www.DistrictGov.org by selecting the following: Services - Utilities and Sanitation - Commercial Customers - and then under the heading Cross-Connection, select WUDD.

COMMONLY ASKED QUESTIONS REGARDING CROSS-CONNECTION AND BACKFLOW

What is a cross-connection?

A cross-connection is a point in a plumbing system where the potable water supply is connected to a non-potable source.

Where might cross-connections be found?

They can be found in all plumbing systems in areas such as:

> Wash Basins and Service Sinks > Hose Bibs

> Irrigation sprinkler Systems

> Photo Developing Equipment

Medical and Dental Equipment

> Fire Sprinkler Systems

What is backflow?

It is the unwanted flow of non-potable or contaminated fluids back into the customer's plumbing system and/or the public water system. There are two types of backflow, see below:

- Backsiphonage- caused by a negative pressure in the supply line to a facility or plumbing fixture.
- Backpressure- can occur when the potable water supply is connected to another system operated at a higher pressure or has the ability to create pressure. Primary causes are booster pumps, pressure vessels, elevated plumbing, etc.

What is a cross-connection control program?

It is a program required by the FDEP to detect and prevent possible sources of non-potable water or contaminants from entering the public water supply.

Why do backflow assemblies need to be tested every year?

The backflow assembly is a mechanical device that needs maintenance just as a vehicle does. The annual test indicates if the internal check valves and mechanics are working properly. Annual testing and maintenance, if necessary, is also required by FDEP and WUDD.

The Villages

Community Development Districts Utilities

NSCUDD COMMERCIA APPROVED BACKFLOW PRI	AL CONNECTIONS EVENTION ASSEMBLIES
Connection Type	Approved BFP Assembly
Medical/Dental/Veterinary/Eye Care	RP
Laboratory/Blood Center	RP
Grocery Store	RP
Beauty or Nail Salon/Spa	RP
Home Improvement/Hardware	RP
Pool	RP
Funeral Home	RP
Maintenance Facility (Golf, Landscape, etc.)	RP
Wastewater Pumping Station	RP
Wastewater Treatment Plant	RP
Commercial Car Wash	RP
Assisted Living/Nursing Facility	RP
Skilled Nursing Facility	RP
Commercial Laundries/Dry Cleaners	RP
Automotive Repair/Tire Store	RP
Photo Processing Facilities	RP
Pest Control Companies	RP
Cooling Towers	RP
Hospitals	RP
Definiti	ons
BFP	Backflow Prevention
RP Reduced Pressure Assem	

Premises which are served by a stormwater-based irrigation water system shall be

protected by a reduced pressure assembly.

2. Backflow Prevention Assemblies for facility types not described above shall be submitted

to and approved by NSCUDD or its authorized representative prior to installation.

3. An alternate Backflow Prevention Assembly may be submitted for approval. Alternate assemblies shall be approved by NSCUDD or its authorized representative prior to installation

WUDD WATER SYSTEM CROSS-CONNECTION SURVEY FORM

	COUNT MBER:							
DA	TE COMPLETED:							
FA	CILITY NAME:							
FA	NTACT NAME: CILITY DRESS:							
FA	CILITY PHONE:	()	FACILITY FAX:	()				
ΟV	NER NAME:							
co	NTACT NAME:							
ΟV	/NER ADDRESS:							
OW	NER PHONE:		OWNER FAX:					
DE	PE OF FACILITY: SCRIBE ACTIVITIE CILITY:	ES AT THE			•			
NO	TER SERVICE LINTE: Completion of vice		WATER METE (in): s entirety is required prior to			f wate	er e	
-		n to the public	r to the property other than t potable supply i.e., a private etc.?		<u>Y</u> E	<u>ES</u>)	<u>N</u> (<u>Q</u>)
	etc.) that increase	lities (such as the water pre pove the supp	the property? a booster pump, pressure to the facility or any ly pressure presently provide		()	()
4.	4. Are any chemicals used in the operation?				()	()
5.	5. Are any chemicals stored at the facility?				()	()
6. Are any ejectors, aspirators, or pumps used in the operation?7. Is any water recycled during the operation of an air conditioner				()	()	
	or other equipment in your plant or building?				()	()
	etc.?		s submerged in tanks, vats,		()	()
9.	Is there a fire stan	d-pipe or fire	sprinkler system installed in	the	1	١	1	١

PROVIDE APPROP ATTACH ADDITION NECESSARY:	RIATE DETAILS ON ALL QUESTIONS ANSWERED "YES". AL SHEETS AS
- And Andrews	
A.	

in a handbook that he that WUDD has made logging on to www.Di Sanitation - Comme Control, select WUE included therein. I also the best of my know actions may include prevention assembly facility owner, as ap	Details regarding the Cross Connection Control Program are contained as been adopted by WUDD. By my signature below, I acknowledge the Cross Connection Control Program Handbook available to me by strictGov.org and then selecting the following: Services – Utilities and croial Customers - and then under the heading Cross-Connection DD. I further agree to be bound by the conditions and guidelines so acknowledge that the information that I have provided is correct to ledge and may result in the requirement of additional actions. Such but are not limited to, installation of or modification of a backflow and action, if required, will be the responsibility of the customer or propriate. Actions shall be completed within 30 days of receipt of D or its designated agent.
OWNER OR AGENT:	TITLE:
CIMEN ON MOLINI.	TITLE: (Please Print)
SIGNATURE:	DATE:
WUDD REPRESENTATIVE:	DATE:

Upon completion of this form, please return the original to:

Wildwood Utility Dependent District
C/O Vikus Water
Attention: Cross Connection Control Program
3635 Kiessel Road The Villages, FL 32163
Renee.Smith@VikusWater.com
Fax: (352) 753-1296

FATS, OILS, AND GREASE F	<u>Removal D</u>	EVICE PRO	<u>)GRAM REG</u>	SISTRATION FORM		
Utility Account #:		Date	:			
Facility Name:			No. 1. Mars Mars of All Control			
Facility Address:						
Contact Name:						
Phone #:		Alternate #:				
Mailing Address (if different from above): Please Initial ONLY if your facility DOES NOT generate Fats, Oils, and Grease as described in the Fats, Oils, and Grease Handbook. PLEASE NOTE, YOU ARE STILL REQUIRED TO SIGN PAGE 2 OF THIS FORM. Initial Here						
Seating Capacity (if applicable):	0-50:	51-100:	101-250:	Over 250:		
1. Choose the description that bes	at describes yo	our facility typ)ė:			
Føst Food Restaurant		spital	Caterer			
Full Service Restaurant	Nursing		Other	ak a kang managan kami mang mangan pagan ngan ngan ngan ngan ngan nga		
Drive Thru Restaurant	Club/Organi	If	other please d	escribe:		
Coffee Shop		Office				
Bakery	13. V 13. 14. 14.	Repair				
Supermarket	PARTITION OF A PROPERTY OF A PARTY WHEN	Wash				
2. Check each day your business i	s open:					
Monday: Tuesday: Wedr	nesday: Tř	nursday:	Friday: Sa	aturday: Sunday:		
3: Check the meals that are served	at your facilit	y (if applicable)) :			
Breakfast: Lunch:	Dinner:	Snack/Co	ffee: Foo	od Prep Only:		
4. Does this business have a great	se removal des	/ice? Yes:	No:	If no, go to question # 6		
5. Complete the following for EACI (If more than 1 device exists at your bu	H grease remo siness, use addi	val device at ional sheets as	your busines: necessary):	5		
	OG Removal D	and a make a Expedit Section .	Andreas Allender plants are a first break			
Indoor or Outdoor:			Bize (gallons):	<u>an an a</u>		
Location (I.e., under 3-bay sink, in-gr	ound, etc.):					
Manufacturer:			often is it /pumped:			
	rash Cor	ntractor/Pumpe		Other scribe)		
If a contractor or pumper is utilized for	or cleaning and	l / or pumping,	please comple	ete the foilowing:		
Company Name:			Phone Number			
Address:						

6. Choose each of the ite	ms listed below that	are pres	ent in your fac	llity:				
Fryer	If yes, how many		Gill		if yo	s, how many	/	
Oven	If yes, how many	 	Tilt Kettle	3.1.10	If ye	s. how many		
3-Bay Pot Sink	If yes, how many		2-Bay Pot Sink	1.0	lf ye	s, how many		
Single Bay Pot Sink	If yes, how many		Pre-Rinse Sink		lf ye	s, how many	<u>, </u>	
Dishwasher	If yes, how many		Môp Sink		lf ye	s, how man		
Wok Station	lf yes, how many		Other	}	lf ye	s, how many	,	
If you selected other, pleas	e describe:							
7 If your facility has grill: filters:	slovens which type (of exhau	st cleaning sys	item (lo you	use to cle	an the	
Automatic cleani	ng system:	Mar	nua l cleaning sy	stem:			:	
8. If you manually clean i cleaned:	ood filters, where a	re they	Onsit	е	(b)	Offsite		
9. If cleaning hood filter of process in detail (i.e., 2-ba	n-site, describe			<u> </u>	1 1 1 1 1 1 1			
10. If waste fats, oils, and								
the premises, where is th					,			
				a	1			
11. Do you use additives device, floor drains, sew	r lines, etc. to help	clean the	containment m:	Ye	s	No		
12. If you answered yes to describe the type (he., en	o question # 11, plea zvine, bacteria, chom	i se Icali			•			
010.77								
13. If you answered yes t	hallestian#11 nla		uika					
where it is used (i.e. Floo	r drain, sewer line, et	o):	1175 1					
By signing below you acknowledge. You also acknowledge.	owledge that the infor	mation to	nat is provided h	nerein	is fac	tual to the b	est of your	
knowledge. You also acknowledge that you have read and understand the Grease Management Program Handbook that is available to download at www.DistrictGov.org . You are also aware that you must notify the Hallies Customer Sension Department within 20 days if any of the information are titled as this Position Program.								
Utility Customer Service Department within 30 days if any of the information provided on this Registration Form changes. Questions regarding the program and its requirements should be directed to the Utility								
Customer Service Departm	ent at (352) 750-000	u,						
Signature	n its antisate and fare	Da		il to				
Please complete this form in its entirety and forward via email, fax, or mail to: Utility Customer Service Department								
Attention: Grease Management Program 3571 Kiessel Road								
The Villages, FL 32163 Fax: (352) 753-1572								
Email: Utilities@DistrictGov.org								